



Soho / Small Business

Meets lower ambient temperature guideline of 38° C

- EEB 3.51 compliance
- Thermally-advantaged chassis
- Easy assembly and maintenance
- High security
- Meets FCC class B and CE requirement

- DATA Redundancy
- Power Redundancy
- RAID/Server
- Work station



YY-0221



The Professional Computer Case Manufacturer


www.yeongyang.com

Server case

SPECIFICATIONS

YY-0221

Case dimension	340mm W x 440mm D x 340mm H (13.4" W x 17.3" D x 13.4" H)
Motherboard size	Extended ATX (12" X 13")
Drive configuration	Up to 13 drive bays: 6 - 5.25" exposed 2 - 3.5" exposed 7 - 3.5" hidden
Optional system cooling fan	1 x 12cm fan for front-mounted 2 x 9cm fans for rear-mounted
Slot Bracket	7 slots
Expansion slot	1 x DB25 port, 2 x DB9 port, 1 x SCSI III (68), 1 x SCSI (50)
Front panel control	Power switch / Stand-By Switch, Reset switch, Keylock
Front panel LED	Power, Power error, HDD, Fan Error
Net Weight	13.4kg without PSU
Color	Cool gray / Black
Power Supply(optional)	Mini Redundant Power Supply 250W~320W PFC/ATX 12V function optional ATX, 300W / 400W / 420W UL, CSA, TÜV, CE approved, Doc compliance



Right View

- Slide in rails for HDD installation, easy pre-assembly
- Optional 2 x 9 cm system fans for hot air exhaust
- Direct air flow to cool HDD
- Optional hot swap redundant power supply, or single power unit
- Allows to install hot-swappable HDD enclosure(optional)



YY-V510 •option

- Hot-swap cooling fan for hard drives
- One external 12cm Ball Bearing
- Fits into one 5.25" drive bay



Left View

- Large space for extended ATX board
- 12 cm system Fan for hot air exhaust
- Optional slot conductive spring (7 slots)
- Card guide for full-length card
- Side panel w/vent, allows to guide air for CPU.



•All brand names and trademarks are the property of their respective owners.
 •Specifications are subject to change without prior notice.



YEONG YANG TECHNOLOGY Co., Ltd
 12F., 778-1, Chung Cheng Road,
 Chung-Ho City, Taipei Hsien, Taiwan, R.O.C
 Tel: +886-2-32340020 Fax: +886-2-32340014
 E-mail: info@yeongyang.com.tw
 Web Site: http://www.yeongyang.com

A case should be...

Europe Branch

YEONG YANG TECHNOLOGY GmbH
 Mühlentagen 130, 20539 Hamburg,
 Germany
 Tel: +49-40-780461-0 Fax: +49-40-780461-11
 E-mail: info@yeongyang.de
 Web Site: http://www.yeongyang.de

America Contact

Gigacase corp.
 18459 E. Railroad St., City of Industry,
 CA91748, USA
 Tel: +1-626-854-9289 Fax: +1-626-854-1896
 E-mail: info@yeongyang.com
 Web Site: http://www.gigacase.com



SERVER
RAID

Meet P4 spec

Cube

YY-0420/0430

Server Case

- Excellent thermal solution
- Easy assembly and maintenance
- High security
- Meet FCC Class 'B' and CE requirement
- Chassis with EEB3.0 compliant E-Bay (M/B standoffs)

¥DATA Redundancy ¥Power Redundancy



black color



YY-0420

YY-0430




The Professional Computer Case Manufacturer

www.yycase.com

Cube YY-0420 / 0430 Server case



SPECIFICATIONS



YY-04xx+Redundant P'su

YY-04xx+ATX Single P'su

Case dimension	370mm W x 530mm D x 411mm H (14.6" W x 20.9" D x 16.2" H)
Motherboard configuration	Extended ATX(12" x 13"), ATX
Drive configuration	Up to 10 drive bays : 8 x 5.25" exposed + 2 x 3.5" exposed
Slot Bracket	7 slots
Expansion slot	2 x DB25 port, 2 x DB9 port, 2 x SCSI(68 pin), 2x ID ports
Front panel control	Power switch, Reset switch, Power LED, Power Error LED, HDD LEDs,Keylock
Optional system cooling fan	1x9cm & 1x12cm fan for rear-mounted to exhaust air out 2x12cm fans for front-mounted with filter.
Optional Power Supply	ATX Single, Redundant Power Supply ATX 12V/SSI EPS12V PFC function available
Net Weight	18kg (39.7 lbs) without PSU
Color	Cool gray, Black



Right View

- . Single slide in rail plus fixed screws for security of 5.25" drive installation
- . 1x12cm fan rear mounted to exhaust hot air out
- . Optional hot swap redundant power supply, ideal for server and workstation
- . 8x5.25" drive bays could be installed up to 12xHDD hot-swap enclosure module(option) for ATA 66/100/133 , SCSI Ultra 320, SATA HDD



Left View

- . Large space for full sized ATX board and extended ATX board(12" x 13")
- . Chassis with EEB3.0 compliant E-Bay(M/B standoffs)
- . Adjustable card hold-down clamp, protecting plug-in cards against vibration
- . Extra large cooling fans 2x12cm front mounted and 1x9cm fan for rear mounted to exhaust hot air out
- . With filter to avoid dust in

*All brand names and trademarks are the property of their respective owners.
 *Specifications are subject to change without prior notice.



A case should be...

YEONG YANG TECHNOLOGY Co.,Ltd
 12F.,778-1 Chung Cheng Road,
 Chung-Ho City,Taipei Hsien, Taiwan, R.O.C
 Tel:+886-2-32340020 Fax:+886-2-32340014
 E-mail:info@yycase.com.tw
 Web Site:http://www.yycase.com

Europe Branch
YEONG YANG TECHNOLOGY GmbH
 Muhlenhagen 130,20539 Hamburg,
 Germany
 Tel:+49-40-780461-0 Fax:+49-40-780461-11
 E-mail:info@yeongyang.de
 Web Site:http://www.yycase.de

U.S.A Contact:
Gigacase Corp.
 18459 E. Railroad St., City of Industry
 CA91748, USA
 Tel:+1-626-854-9289 Fax:+1-626-854-1896
 E-mail:info@yeongyang.com
 Web Site:http://www.gigacase.com